

29th International Conference on Flexible Automation and Intelligent Manufacturing (FAIM 2019)

**Beyond Industry 4.0: Industrial Advances,
Engineering Education and Intelligent
Manufacturing**

Procedia Manufacturing Volume 38

Limerick, Ireland
24 - 28 June 2019

Part 1 of 3

Editors:

**Alan Ryan
Seamus Gordon
Peter Tiernan**

ISBN: 978-1-7138-0764-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2019) The Authors. Published by Elsevier Ltd.
Creative Commons Attribution 4.0 International License.
License details: <http://creativecommons.org/licenses/by/4.0/>.

No changes have been made to the content of these proceedings. There may be changes to pagination, and minor adjustments for aesthetics.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact the publisher:

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

PART 1

ADDITIVE, SUBTRACTIVE AND HYBRID MANUFACTURING

A CONTINUOUS PATH PLANNING APPROACH ON VORONOI DIAGRAMS FOR ROBOTICS AND MANUFACTURING APPLICATIONS	1
<i>Melih Özcan, Ulas Yaman</i>	
A STEP-NC IMPLEMENTATION APPROACH FOR ADDITIVE MANUFACTURING	9
<i>Efrain Rodriguez, Alberto Alvares</i>	
ADDITIVE MANUFACTURING OF PLA/HNT NANOCOMPOSITES FOR BIOMEDICAL APPLICATIONS	17
<i>Chaitra Venkatesh, Evert Fuenmayor, Patrick Doran, Ian Major, Declan M Devine</i>	
AUTONOMOUS PREFORMING SYSTEM: AUTOMATED AND SENSOR-AIDED HANDLING OF DRY CARBON FIBRE TEXTILES	25
<i>C. Frommel, M. Körber, M. Mayer, A. Schuster, L. Larsen</i>	
CHARACTERIZATION OF 3D-PRINTED CAPACITORS CREATED BY FUSED FILAMENT FABRICATION USING ELECTRICALLY-CONDUCTIVE FILAMENT	33
<i>Nebojsa I. Jaksic, Pratik D. Desai</i>	
GENERATION OF OPTIMIZED VORONOI BASED INTERIOR STRUCTURES FOR IMPROVED MECHANICAL PROPERTIES	42
<i>Anıl Can Öncel, Ulas Yaman</i>	
INVESTIGATION OF VARIABLE BEAD WIDTHS IN FFF PROCESS	52
<i>Bahar Gharehpapagh, Melik Dolen, Ulas Yaman</i>	
USING ADDITIVE MANUFACTURING TO PRODUCE INJECTION MOULDS SUITABLE FOR SHORT SERIES PRODUCTION	60
<i>Conor Whlean, Con Sheahan</i>	

ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING

FRAMEWORK FOR SELECTION OF ERP SYSTEM: CASE STUDY.....	69
<i>O Alaskari, R. Pinedo-Cuenca, M.M. Ahmad</i>	
HUMAN-ROBOT COLLABORATIVE RECONFIGURABLE PLATFORM FOR SURFACE FINISHING PROCESSES.....	76
<i>Fabio Pini, Francesco Leali</i>	
MACHINE LEARNING AND PROCESS MINING APPLIED TO PROCESS OPTIMIZATION: BIBLIOMETRIC AND SYSTEMIC ANALYSIS.....	84
<i>Ederson Carvalhar Fernandes, Barry Fitzgerald, Liam Brown, Milton Borsato</i>	
A TAILORED MAINTENANCE MANAGEMENT SYSTEM TO CONTROL SPARE PARTS LIFE CYCLE	92
<i>R. Accorsi, A. Gallo, A. Tufano, M. Bortolini, R. Manzini</i>	
DATA-DRIVEN PREDICTION MODEL OF COMPONENTS SHIFT DURING REFLOW PROCESS IN SURFACE MOUNT TECHNOLOGY	100
<i>Irandoht Parviziomran, Shun Cao, Haeyong Yang, Seungbae Park, Daehan Won</i>	
DYNAMIC PREDICTIVE MODELING OF SOLDER PASTE VOLUME WITH REAL TIME MEMORY UPDATE IN A STENCIL PRINTING PROCESS	108
<i>Hongya Lu, Haifeng Wang, Sang Won Yoon, Daehan Won, Seungbae Park</i>	
OPTIMIZING THE HARDNESS OF SLA PRINTED OBJECTS BY USING THE NEURAL NETWORK AND GENETIC ALGORITHM.....	117
<i>Guang Hu, Zhi Cao, Michael Hopkins, Conor Hayes, Declan M Devine</i>	
AUTOMATIC PROCESS MODELING WITH TIME DELAY NEURAL NETWORK BASED ON LOW-LEVEL DATA.	125
<i>Giovanni Menegozzo, Diego Dall’Alba, Andrea Roberti, Paolo Fiorini</i>	
DIGITALIZED AUTOMATED WELDING SYSTEMS FOR WELD QUALITY PREDICTIONS AND RELIABILITY	133
<i>Emmanuel Afrane Gyasi, Paul Kah, Sakari Penttilä, Juho Ratava, Lin Sanbao</i>	

OBJECT DETECTION USING CONVOLUTIONAL NEURAL NETWORKS FOR SMART MANUFACTURING VISION SYSTEMS IN THE MEDICAL DEVICES SECTOR	142
<i>Kelly O'Brien, Jacqueline Humphries</i>	
INTELLIGENT INJECTION CURING OF BACON	148
<i>Mark P. Philipsen, Thomas B. Moeslund</i>	
INTELLIGENT PROCESS PLANNING FOR SMART MANUFACTURING SYSTEMS: A STATE-OF-THE-ART REVIEW	156
<i>Hossein Besharati-Foumani, Mika Lohtander, Juha Varis</i>	
MULTI-OBJECTIVE OPTIMIZATION APPROACH TO ENHANCE THE STENCIL PRINTING QUALITY	163
<i>Nourma Khader, Jaehwan Lee, Duk Lee, Sang Won Yoon, Haeyong Yang</i>	
SELF-LEARNING PROCESSES IN SMART FACTORIES: DEEP REINFORCEMENT LEARNING FOR PROCESS CONTROL OF ROBOT BRINE INJECTION	171
<i>Rasmus E. Andersen, Steffen Madsen, Alexander B.K. Barlo, Sebastian B. Johansen, Simon Bøgh</i>	
EDGE COMPUTING APPLIED TO INDUSTRIAL MACHINES	178
<i>Anderson Carvalho, Niall O' Mahony, Lenka Krpalkova, Sean Campbell, Pat Doody</i>	
ONE-SHOT LEARNING FOR CUSTOM IDENTIFICATION TASKS; A REVIEW	186
<i>N. O' Mahony, Sean Campbell, Anderson Carvalho, L. Krpalkova, J. Walsh</i>	
PRODUCTION FLOW CONTROL THROUGH THE USE OF REINFORCEMENT LEARNING	194
<i>Tomé Silva, Américo Azevedo</i>	

ARTIFICIAL INTELLIGENCE, MACHINE LEARNING AND INDUSTRY 4.0

DEVELOPMENT OF INVERS KINEMATIC METHOD FOR 6-DOF PARALLEL ROBOT USING ANALYTICAL APPROACH	203
<i>Hendriko Hendriko</i>	
METHODS AND CONCEPTS FOR ELABORATING A DECISION AIDED TOOL FOR OPTIMIZING HEALTHCARE MEDICINES DISPATCHING FLOWS	209
<i>Julia Cassim Pinheiro, Paul-Eric Dossou, Joao Chang Junior</i>	
STATISTICAL ANALYSIS FOR COMPONENT SHIFT IN PICK AND PLACE PROCESS OF SURFACE MOUNT TECHNOLOGY	217
<i>Shun Cao, Irandokht Parviziomran, Seungbae Park, Daehan Won</i>	
TOWARDS A ROBOT SIMULATION FRAMEWORK FOR E-WASTE DISASSEMBLY USING REINFORCEMENT LEARNING	225
<i>Christoffer B. Kristensen, Frederik A. Sørensen, Hjalte B. Nielsen, Martin S. Andersen, Simon Bøgh</i>	

BIG DATA ANALYTICS IN MANUFACTURING AND SERVICES

A DEEP LEARNING APPROACH FOR ANOMALY DETECTION WITH INDUSTRIAL TIME SERIES DATA: A REFRIGERATORS MANUFACTURING CASE STUDY	233
<i>Mattia Carletti, Chiara Masiero, Alessandro Beghi, Gian Antonio Susto</i>	
APPLICATION OF LEAN MANUFACTURING IN CONSTRUCTION MANAGEMENT	241
<i>Filipe d'S. Aureliano, Ariellen Ap. F. Costa, Ivan F. Júnior, Roger A. Rodrigues</i>	
DEEP LEARNING-BASED PRODUCTION FORECASTING IN MANUFACTURING: A PACKAGING EQUIPMENT CASE STUDY	248
<i>Luca Brunelli, Chiara Masiero, Diego Tosato, Alessandro Beghi, Gian Antonio Susto</i>	
INVENTORY MANAGEMENT AND COST REDUCTION OF SUPPLY CHAIN PROCESSES USING AI BASED TIME-SERIES FORECASTING AND ANN MODELING	256
<i>Umamaheswaran Praveen, Ganjeizadeh Farnaz, Ghasib Hatim</i>	

BIOMANUFACTURING, BIOMATERIALS AND BIOTECHNOLOGIES

EVALUATION OF THE EXTENDED FINITE ELEMENT METHOD FOR THE ANALYSIS OF BONDED JOINTS WITH DIFFERENT GEOMETRIES	264
<i>V. Ramesh, R.D.S.G. Campilho, F.J.G. Silva, R.J.B. Rocha, S. Kumar</i>	
FRAMEWORK FOR ASSESSMENT OF OIL SPILL SITE REMEDIATION OPTIONS IN DEVELOPING COUNTRIES A LIFE CYCLE PERSPECTIVE	272
<i>Obiageli S. Ugwuoke, Chike F Oduoza</i>	

REFINING EARLY STAGE INTERVENTIONAL COMPOSITE CATHETER DESIGN	282
<i>Sean Lynn, Philip O'Malley, David Tanner, Sean Moore</i>	
SELF-DESCRIPTION OF CYBER-PHYSICAL PRODUCTION MODULES FOR A PRODUCT-DRIVEN MANUFACTURING SYSTEM	291
<i>Jesko Hermann, Pascal Rübel, Max Birtel, Florian Mohr, Martin Ruskowski</i>	

CELLULAR MANUFACTURING DESIGN AND CONTROL

OPTIMAL NUMBER OF CELLS FOR A PART FAMILY IN A STOCHASTIC DEMAND ENVIRONMENT.....	299
<i>Omar Alhawari, Gürsel Süer</i>	
CELLULAR DEMANUFACTURING LAYOUT IN A RAIL INDUSTRY: END-OF- LIFE COMPONENTS REUSABILITY.....	307
<i>Humbulani Simon Phuluwa, Khumbulani Mpofo, Johh Alfred Trimble</i>	
THE IMPACT OF LEAN IMPROVEMENTS ON COST-TIME PROFILE	316
<i>Danijela Gračanin, Danijela Ćirić, Bojan Lalić, Jelena Ćurčić, Nemanja Tasić</i>	
DESIGNING A NOVEL AND GREENER TRUCK ASPHALT CONTAINER.....	324
<i>P.V. Lopes, F.J.G. Silva, R.D.S.G. Campilho, F. de Almeida</i>	

COLLABORATIVE ROBOTICS IN SMART MANUFACTURING

A DUAL-ARM COLLABORATIVE ROBOT SYSTEM FOR THE SMART FACTORIES OF THE FUTURE.....	333
<i>Jens F. Buhl, Rune Grønhoj, Jan K. Jørgensen, Guilherme Mateus, Dimitrios Chrysostomou</i>	
AN APPLICATION OF COLLABORATIVE ROBOTS IN A FOOD PRODUCTION FACILITY	341
<i>R. Accorsi, A. Tufano, A. Gallo, F.G. Galizia, R. Manzini</i>	
A ROS2 BASED COMMUNICATION ARCHITECTURE FOR CONTROL IN COLLABORATIVE AND INTELLIGENT AUTOMATION SYSTEMS	349
<i>Endre Erős, Martin Dahl, Kristofer Bengtsson, Atieh Hanna, Petter Falkman</i>	
AN EVALUATION METHODOLOGY FOR THE CONVERSION OF MANUAL ASSEMBLY SYSTEMS INTO HUMAN-ROBOT COLLABORATIVE WORKCELLS.....	358
<i>Luca Gualtieri, Erwin Rauch, Renato Vidoni, Dominik T. Matt</i>	
DISTRIBUTED SOFTWARE ARCHITECTURE FOR AGVS FOR SEPARATION OF DYNAMIC AND STATIC OBSTACLES	367
<i>Michael Scholz, Markus Lieret, Marc Bigott, Jörg Franke</i>	
HUMAN-ROBOT COLLABORATION AS A NEW PARADIGM IN CIRCULAR ECONOMY FOR WEEE MANAGEMENT	375
<i>Arantxa Renteria, Esther Alvarez-de-los-Mozos</i>	
TOWARDS THE DEMOCRATISATION OF DESIGN: THE IMPLEMENTATION OF METAHEURISTIC SEARCH STRATEGIES TO ENABLE THE AUTO-ASSIGNMENT OF MANUFACTURING PARAMETERS FOR FDM.....	383
<i>Mark Goudswaard, Aydin Nassehi, Ben Hicks</i>	
UNIVERSAL INDUSTRIAL INTERFACE - MOBILE	391
<i>Andreea Ciontos, Ioan-Matei Sarivan, Casper Schou</i>	
THE MOBILE ROBOT ANTI-DISTURBANCE VSLAM NAVIGATION ALGORITHM BASED ON RBF NEURAL NETWORK	400
<i>S.F. Wong, Z. Yu</i>	
OBJECT RECOGNITION WITHIN SMART MANUFACTURING	408
<i>Andrew D O' Riordan, Daniel Toal, Thomas Newe, Gerard Dooly</i>	
INSTRUMENTED TOOL BASED ROBOT PROGRAMMING - PARAMETERIZATION OF SCREWING PROCESS MACROS	415
<i>Markus Ikeda, Markus Ganglbauer, Prateek Ashok, Srinivas Maddukuri, Andreas Pichler</i>	

DESIGN AND MANUFACTURING OF PERSONALISED PRODUCTS

BÉZIER CURVE BASED CONTINUOUS AND SMOOTH MOTION PLANNING FOR SELF-LEARNING INDUSTRIAL ROBOTS	423
<i>Christian Scheiderer, Timo Thun, Tobias Meisen</i>	

A CONCEPTUAL FRAMEWORK FOR CYBER-PHYSICAL SYSTEM IN CONNECTED RSW WELDABILITY CERTIFICATION	431
<i>Fahim Ahmed, Noor-E Jannat, Saeed Z. Gavidel, Jeremy Rickli, Kyoung-Yun Kim</i>	
AN FNLP APPROACH FOR PLANNING ENERGY-EFFICIENT MANUFACTURING: WAFER FABRICATION AS AN EXAMPLE	439
<i>Yi-Chi Wang, Tin-Chih Toly Chen</i>	
A BOOSTING-BASED INTELLIGENT MODEL FOR STENCIL CLEANING PREDICTION IN SURFACE MOUNT TECHNOLOGY.....	447
<i>Haifeng Wang, Hongya Lu, Daehan Won, Sang Won Yoon, Krishnaswami Srihari</i>	
TOWARDS THE DEVELOPMENT OF INTERFACES FOR STUDENTS WITH SPEECH DISORDER AND MOTOR IMPAIRMENTS	455
<i>Francesco Davide Cascone, Massimo Martorelli, Antonio Gloria, Stefano Papa, Antonio Lanzotti</i>	
MANUFACTURE OF STRUCTURAL BLOCKS OF CONCRETE WITH WASTE TIRE RUBBERS	464
<i>Filipe d'S. Aureliano, Ariellen Ap. F. Costa, Ivan F. Júnior, Rafael d' O. Pedroso</i>	
FROM EGOSYSTEM TO ECOSYSTEM: HOW A 150-YEAR OLD MANUFACTURING FIRM IS TAKING ON THE WORLD OF INTERNET OF THINGS.....	471
<i>Victor Centerholt, Sandra Mattsson, Frank Rälg</i>	
USING SERIOUS GAMES TO INFORM MASS CUSTOMIZATION PRODUCTION METHODS FROM THE FUZZY FRONT-END OF NEW PRODUCT DEVELOPMENT	478
<i>Michael O'Sullivan, Con Sheahan</i>	

DIGITAL CYBER AND CLOUD MANUFACTURING

AN AUTOMATIC PROCEDURE BASED ON VIRTUAL ERGONOMIC ANALYSIS TO PROMOTE HUMAN-CENTRIC MANUFACTURING.....	488
<i>Grandi Fabio, Peruzzini Margherita, Zanni Luca, Pellicciari Marcello</i>	
QUALITY ASSURANCE AND PROCESS CONTROL IN VIRTUAL REALITY	497
<i>J. Ratava, S. Penttilä, H. Lund, M. Lohtander, J. Varis</i>	
SIMULATION BASED DRAPING OF DRY CARBON FIBRE TEXTILES WITH COOPERATING ROBOTS.....	505
<i>A. Schuster, C. Frommel, D. Deden, L. Brandt, L. Larsen</i>	
ON SEMANTIC INTEROPERABILITY OF MODEL-BASED DEFINITION OF PRODUCT DESIGN	513
<i>Arkopaul Sarkar, Dušan Šormaz</i>	
EXPLORATION OF TWO SAFETY STRATEGIES IN HUMAN-ROBOT COLLABORATIVE MANUFACTURING USING VIRTUAL REALITY	524
<i>George-Christopher Vosniakos, Lucas Ouillon, Elias Matsas</i>	
CYBERSECURITY CONCERNS FOR TOTAL PRODUCTIVE MAINTENANCE IN SMART MANUFACTURING SYSTEMS	532
<i>Alireza Zarreh, HungDa Wan, Yooneun Lee, Can Saygin, Rafid Al Janahi</i>	
STEPS TOWARDS DIGITIZATION OF MANUFACTURING IN AN SME ENVIRONMENT	540
<i>Frank Doyle, John Cosgrove</i>	
A MAAS PLATFORM ARCHITECTURE SUPPORTING DATA SOVEREIGNTY IN SUSTAINABILITY ASSESSMENT OF MANUFACTURING SYSTEMS.....	548
<i>Giuseppe Landolfi, Andrea Barni, Gabriele Izzo, Alessandro Fontana, Andrea Bettoni</i>	

ENGINEERING AND MANUFACTURING METHODS AND TOOLS FOR INDUSTRY 4.0

A DIMENSION REDUCTION METHOD FOR EFFICIENT OPTIMIZATION OF MANUFACTURING PERFORMANCE.....	556
<i>Ananda Chakraborti, Hari P.N. Nagarajan, Suraj Panicker, Hossein Mokhtarian, Kari T. Koskinen</i>	
FLEXIBLE CALIBRATION OF A STEREO VISION SYSTEM BY ACTIVE DISPLAY	564
<i>Sandro Barone, Paolo Neri, Alessandro Paoli, Armando Viviano Razionale</i>	
DEVELOPMENT OF A NEW FRAMEWORK FOR IMPLEMENTING INDUSTRY 4.0 IN COMPANIES.....	573
<i>Paul-Eric Dossou</i>	
A DYNAMIC PROGRAMMING MODEL FOR DESIGNING A QUALITY CONTROL PLAN IN A MANUFACTURING PROCESS.....	581
<i>Eusébio Nunes, Sérgio Sousa</i>	

RECONFIGURATION PROTOCOLS FOR EMBEDDED AGENTS IN WIRELESS CONTROL NETWORKS	589
<i>Mohammed S. Taboun, Robert W. Brennan</i>	
RECONFIGURABLE INSPECTION ROBOT FOR INDUSTRIAL APPLICATIONS	597
<i>A. Pistone, C. Canali, C. Gloriani, S. Leggieri, D.G. Caldwell</i>	
RISK ASSESSMENT FOR CYBER SECURITY OF MANUFACTURING SYSTEMS: A GAME THEORY APPROACH	605
<i>Alireza Zarreh, HungDa Wan, Yooneun Lee, Can Saygin, Rafid Al Janahi</i>	
A DMS TO SUPPORT INDUSTRIAL PROCESS DECISION-MAKING: A CONTRIBUTION UNDER INDUSTRY 4.0	613
<i>M.T. Pereira, A. Silva, L.P. Ferreira, J.C. Sá, F.J.G. Silva</i>	

PART 2

ASSESSMENT OF INNOVATIVENESS LEVEL FOR CHOSEN SOLUTIONS RELATED TO LOGISTICS 4.0	621
<i>Mariusz Kostrzewski, Monika Kosacka-Olejnik, Karolina Werner-Lewandowska</i>	
STATIC STRENGTH IMPROVEMENT OF TUBULAR ALUMINIUM ADHESIVE JOINTS BY THE OUTER CHAMFERING TECHNIQUE	629
<i>L.R.F. Ferreira, R.D.S.G. Campilho, D.R. Barbosa, R.J.B. Rocha, F.J.G. Silva</i>	
A STRATEGIC MODEL TO TAKE THE FIRST STEP TOWARDS INDUSTRY 4.0 IN SMES	637
<i>B. Pinto, F.J.G. Silva, T. Costa, R.D.S.G. Campilho, M.T. Pereira</i>	
A REVIEW OF INTEROPERABILITY STANDARDS FOR INDUSTRY 4.0.	646
<i>Thomas Burns, John Cosgrove, Frank Doyle</i>	

ENGINEERING EDUCATION

A SIMPLIFIED CHANGEABLE LEARNING FACTORY DESIGN BASED ON A GRANULARITY COMPLEXITY MODEL	654
<i>Tarek AlGeddawy</i>	
A MULTIPURPOSE SMALL-SCALE SMART FACTORY FOR EDUCATIONAL AND RESEARCH ACTIVITIES	663
<i>Andrea Ferrario, Matteo Confalonieri, Andrea Barni, Gabriele Izzo, Paolo Pedrazzoli</i>	
DIVERSITY IN ENGINEERING STUDENTS: DO THEY HAVE DIFFERENT EXPECTATIONS OF THEIR LEARNING EXPERIENCE?	671
<i>Nancy Nelson, Robert W. Brennan</i>	
DEVELOPING CDIO PRACTITIONERS: A SYSTEMATIC APPROACH TO STANDARD 10	680
<i>Jason Power, David Tanner, Alan Ryan, Brian Devitt</i>	
NEW MOTION CONTROL MACHINE ELEMENTS REPRESENTATION FOR MECHATRONIC EDUCATION	686
<i>Julio Garrido Campos, David Santos Esterán</i>	
DIMENSIONAL ANALYSIS	694
<i>John F. Mahoney, Sencer Yeralan</i>	
SURVEY ON ARTIFICIAL INTELLIGENCE (AI) APPLIED IN WELDING: A FUTURE SCENARIO OF THE INFLUENCE OF AI ON TECHNOLOGICAL, ECONOMIC, EDUCATIONAL AND SOCIAL CHANGES	702
<i>Emmanuel Afrane Gyasi, Heikki Handroos, Paul Kah</i>	
DESIGNING A NOVEL SYSTEM FOR THE INTRODUCTION OF LUBRICANT IN CONTROL CABLES FOR THE AUTOMOTIVE INDUSTRY	715
<i>R. Ribeiro, F.J.G. Silva, A.G. Pinto, R.D.S.G. Campilho, H.A. Pinto</i>	

ENTERPRISE KNOWLEDGE MANAGEMENT

PROCESS SEQUENCING FOR FEATURES WITH MULTIPLE PROCESSING REQUIREMENTS	726
<i>Dušan Šormaz, Arkopaul Sarkar</i>	
HIDDEN PRODUCT KNOWLEDGE: PROBLEMS AND POTENTIAL SOLUTIONS	735
<i>Lauri Jokinen, Simo-Pekka Leino</i>	

APPLICATION OF THE A3 METHODOLOGY FOR THE IMPROVEMENT OF AN ASSEMBLY LINE	745
<i>J. Pereira, F.J.G. Silva, J.A. Bastos, L.P. Ferreira, J.C.O. Matias</i>	
MAPPING OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEMS IN PORTUGAL: OUTLOOK FOR ISO 45001:2018 ADOPTION	755
<i>L. Morgado, F.J.G. Silva, L.M. Fonseca</i>	

INNOVATIVE MANUFACTURING PROCESSES

THE IMPACT OF THE APPLICATION OF LEAN TOOLS FOR IMPROVEMENT OF PROCESS IN A PLASTIC COMPANY: A CASE STUDY	765
<i>P. Ribeiro, J.C. Sá, L.P. Ferreira, F.J.G. Silva, G. Santos</i>	
A FUZZY-BASED APPROACH TO IMPROVE THE HUMAN PICK-TO-LIGHT EFFICIENCY INCORPORATED WITH ROBOTS BEHAVIOR IN AN INTELLIGENT DISTRIBUTION CENTER.....	776
<i>Teng-Sheng Su, Su-Shiang Lee, Wei-Hsun Hsu, Shan-Heng Fu</i>	
RE-DESIGN OF A PACKAGING MACHINE EMPLOYING LINEAR SERVOMOTORS: A DESCRIPTION OF MODELLING METHODS AND ENGINEERING TOOLS	784
<i>Giovanni Berselli, Pietro Bilancia, Luca Bruzzone, Pietro Fanghella</i>	
SIMULATOR OF AN ADDITIVE AND SUBTRACTIVE TYPE OF HYBRID MANUFACTURING SYSTEM.....	792
<i>Ugur M Dilberoglu, Vahid Hasehtalab, Ulas Yaman, Melik Dolen</i>	

INNOVATIVE MANUFACTURING SYSTEMS

APPLICATION OF MULTIVARIATE STATISTICAL ANALYSIS FOR CNC MILLING OF LARGE TI-6AL-4V COMPONENTS.....	800
<i>L. Asensio Dominguez, A. Shokrani, J.M. Flynn, V. Dhokia, S.T. Newman</i>	
AUTOMATED PLANNING AND OPTIMIZATION OF A DRAPING PROCESSES WITHIN THE CATIA ENVIRONMENT USING A PYTHON SOFTWARE TOOL.....	808
<i>M. Körber, C. Frommel</i>	
ASSESSMENT OF METAL CUTTING TOOLS USING COST PERFORMANCE RATIO AND TOOL LIFE ANALYSES	816
<i>Daniel Johansson, Rebecka Lindvall, Christina Windmark, Rachid M'Saoubi, Jan-Eric Ståhl</i>	
LOW-COST 3D SCANNING IN A SMART LEARNING FACTORY	824
<i>Christian P. Nielsen, Ali A. Malik, David G. Hansen, Arne Bilberg</i>	

INNOVATIVE MANUFACTURING SYSTEMS AND SERVICES

INSUFFICIENT KNOWLEDGE IN INDUSTRIAL DIGITALIZATION – PROMISING PERSPECTIVE FROM FEMALE SUPPLIERS.....	832
<i>Sandra Mattsson, Victor Centerholt, Peter Bryntesson, Gabriella Banehag</i>	
REMOTE ACOUSTIC ANALYSIS FOR TOOL CONDITION MONITORING.....	840
<i>James Coady, Daniel Toal, Thomas Newe, Gerard Dooly</i>	
A NOVEL CONCEPT OF A CONDUIT TRANSPORT SYSTEM	848
<i>P.R. Santos, F.J.G. Silva, R.D.S.G. Campilho, G.F.L. Pinto, A. Baptista</i>	
IDENTIFICATION OF RESOURCES AND PARTS IN A PLUG AND PRODUCE SYSTEM USING OPC UA	858
<i>Mattias Bennulf, Fredrik Danielsson, Bo Svensson</i>	
ROBOT-ASSISTED CONCEPT FOR ASSEMBLING FORM COILS IN LAMINATED STATOR CORES OF LARGE ELECTRIC MOTORS.....	866
<i>Alexander Mahr, Andreas Mayr, Timo Jung, Jörg Franke</i>	
RETHINKING MODULAR JIGS' DESIGN REGARDING THE OPTIMIZATION OF MACHINING TIMES.....	876
<i>S. Kumar, R.D.S.G. Campilho, F.J.G. Silva</i>	
SITUATIONAL COGNITIVE ASSISTANCE SYSTEM IN REWORK AREA	884
<i>Rainer Müller, Leenhard Hörauf, Christoph Speicher, Attique Bashir</i>	

LEAN AND AGILE MANUFACTURING

OPTIMIZATION OF THE COLD PROFILING PROCESS THROUGH SMED	892
<i>T. Vieira, J.C. Sá, M.P. Lopes, G. Santos, M.T. Pereira</i>	
INTERACTIONS OF LEAN ENABLERS IN MANUFACTURING SMES USING INTERPRETIVE STRUCTURAL MODELLING APPROACH - A CASE STUDY OF KRI.....	900
<i>I.S. Mohammad, C.F. Oduoza</i>	
A TPM STRATEGY IMPLEMENTATION IN AN AUTOMOTIVE PRODUCTION LINE THROUGH LOSS REDUCTION	908
<i>M.D.O. dos Reis, R. Godina, C. Pimentel, F.J.G. Silva, J.C.O. Matias</i>	
SIMULATION OF THE STOCHASTIC ONE-DIMENSIONAL CUTTING STOCK PROBLEM TO MINIMIZE THE TOTAL INVENTORY COST	916
<i>Hüseyin Sarper, Nebojsa I. Jaksic</i>	
PROCESS IMPROVEMENT IN THE METALLIC MESH CUTTING OPERATION ASSOCIATED TO TIRE MANUFACTURING	924
<i>J.C.M de Sousa, R.D.S.G. Campilho, F.J.G. Silva, P.M.M. dos Santos</i>	
SCREWING PROCESS ANALYSIS USING MULTIVARIATE STATISTICAL PROCESS CONTROL	932
<i>Humberto Nuno Teixeira, Isabel Lopes, Ana Cristina Braga, Pedro Delgado, Cristina Martins</i>	
COMPARISON OF DIFFERENT TEST CONFIGURATIONS FOR THE SHEAR FRACTURE TOUGHNESS EVALUATION OF A DUCTILE ADHESIVE.....	940
<i>A.J.S. Leal, R.D.S.G. Campilho, F.J.G. Silva, D.F.O. Silva, F.J.P. Moreira</i>	

LEAN AND SIX SIGMA

THE WAY LEAN STARTS – A DIFFERENT APPROACH TO INTRODUCE LEAN CULTURE AND CHANGING PROCESS WITH PEOPLE’S INVOLVEMENT	948
<i>RF Mascarenhas, C Pimentel, MJ Rosa</i>	
SUPPORT METHODOLOGY FOR PRODUCT QUALITY ASSURANCE: A CASE STUDY IN A COMPANY OF THE AUTOMOTIVE INDUSTRY	957
<i>T.A. Cepeda, I.S. Lopes</i>	
IMPROVING IN-PLANT LOGISTICS FLOW BY PHYSICAL AND DIGITAL PATHWAYS	965
<i>T. Tellini, F.J.G. Silva, T. Pereira, L. Morgado, L.P. Ferreira</i>	
IMPLEMENTATION OF LEAN METHODOLOGIES IN THE MANAGEMENT OF CONSUMABLE MATERIALS IN THE MAINTENANCE WORKSHOPS OF AN INDUSTRIAL COMPANY	975
<i>Tomé Pombal, Luís Pinto Ferreira, J.C. Sá, Maria Teresa Pereira, F.J.G. Silva</i>	

MANUFACTURING ERGONOMICS AND HUMAN FACTORS

INTELLIGENT MATERIAL SUPPLY SUPPORTING ASSISTIVE SYSTEMS FOR MANUAL WORKING STATIONS.....	983
<i>Patrick Bertram, William Motsch, Pascal Rübel, Martin Ruskowski</i>	
DESIGN OF A MODULAR SOLUTION FOR AN AUTONOMOUS VEHICLE FOR CARGO TRANSPORT AND HANDLING	991
<i>H.D.B.C.L. de Oliveira, R.D.S.G. Campilho, F.J.G. Silva</i>	
FUTUREFIT: A STRATEGY FOR GETTING A PRODUCTION ASSET TO AN INDUSTRY 4.0 COMPONENT – A HUMAN-CENTERED APPROACH	1000
<i>Max Birtel, Alexander David, Jesko Hermann, Florian Mohr, Martin Ruskowski</i>	
AN EXAMINATION OF WATER QUALITY ENTERING IRISH DAIRY PROCESSORS.....	1008
<i>E. O’Connor, A. Ryan, P. Cronin</i>	
DEVELOPMENT OF A DLP 3D PRINTER FOR ORTHODONTIC APPLICATIONS.....	1017
<i>Sandro Barone, Paolo Neri, Alessandro Paoli, Armando V. Razionale, Francesco Tamburrino</i>	
THE ANALYSIS OF TOOL WEAR MECHANISMS IN THE MACHINING OF PRE-SINTERED ZIRCONIA DENTAL CROWNS.....	1026
<i>David Irvine, Wan Tsin Goh, Farid Dailami, Jason Matthews</i>	
USING LEAN MANUFACTURING AND MACHINE LEARNING FOR IMPROVING MEDICINES PROCUREMENT AND DISPATCHING IN A HOSPITAL.....	1034
<i>Kaio Jordon, Paul-Eric Dossou, Joao Chang Junior</i>	

MANUFACTURING OPERATIONS, SUPPLY CHAIN AND LOGISTICS

MATHEMATICAL MODELLING OF PRODUCTS ALLOCATION TO CUSTOMERS FOR SEMICONDUCTOR SUPPLY CHAIN.....	1042
<i>Behrouz Alizadeh Mousavi, Radhia Azzouz, Cathal Heavey</i>	
REDUCTION OF SCRAP PERCENTAGE OF CAST PARTS BY OPTIMIZING THE PROCESS PARAMETERS	1050
<i>R. Chandrasekaran, R.D.S.G. Campilho, F.J.G. Silva</i>	
LOGISTICS 4.0 MATURITY IN SERVICE INDUSTRY: EMPIRICAL RESEARCH RESULTS.....	1058
<i>Karolina Werner-Lewandowska, Monika Kosacka-Olejniak</i>	
THERE IS LOGIC IN LOGIT – INCLUDING WEAR RATE IN COLDING’S TOOL WEAR MODEL	1066
<i>Sampsa V.A. Laakso, Daniel Johansson</i>	
IMPROVING EFFICIENCY IN A HYBRID WAREHOUSE: A CASE STUDY	1074
<i>Andreia M. Freitas, F.J.G. Silva, L.P. Ferreira, J.C. Sá, J. Pereira</i>	
DEVELOPMENT OF A DIGITAL PERFORMANCE ASSESSMENT MODEL FOR QUEBEC MANUFACTURING SMES	1085
<i>Sébastien Gamache, Georges Abdul-Nour, Chantal Baril</i>	
AUTOMATIC GENERATION OF DIGITAL TWIN INDUSTRIAL SYSTEM FROM A HIGH LEVEL SPECIFICATION	1095
<i>Julio Garrido Campos, Juan Sáez López, José Ignacio Armesto Quiroga, Angel Manuel Espada Seoane</i>	

MANUFACTURING PROCESSES AND TECHNOLOGY

REAL-TIME MANUFACTURING OPTIMIZATION WITH A SIMULATION MODEL AND VIRTUAL REALITY.....	1103
<i>Ojstersek Robert, Palcic Iztok, Buchmeister Borut</i>	
IMPROVING THE CUT SURFACE QUALITY BY OPTIMIZING PARAMETERS IN THE FIBRE LASER CUTTING PROCESS	1111
<i>I. Amaral, F.J.G. Silva, G.F.L. Pinto, R.D.S.G. Campilho, R.M. Gouveia</i>	
INFLUENCE OF THE NATURAL ADDITIVE ON NATURAL FIBER REINFORCED THERMOPLASTIC COMPOSITE.....	1121
<i>D.K. Selvaraj, F.J.G. Silva, R.D.S.G. Campilho, A. Baptista, G.F.L. Pinto</i>	
DEVELOPMENT OF THE CONSTRUCTION SCHEDULING BASED ON FUZZY DISCRETE EVENT SIMULATION FOR A TFT-LCD PLANT	1130
<i>Teng-Sheng Su, Luh-Maan Chang</i>	
IMPACT OF CONFORMAL COATING MATERIAL ON THE LONG-TERM RELIABILITY OF BALL GRID ARRAY SOLDER JOINTS	1138
<i>Abid-Alrahman Fawzi Abbas, Christopher M. Greene, Krishnaswami Srihari, Daryl Santos, Ganesh Pandiarajan</i>	
CHALLENGES IN RIVETING QUALITY PREDICTION: A LITERATURE SURVEY	1143
<i>Kyoung-Yun Kim, Jaemun Sim, Noor-E Jannat, Fahim Ahmed, Sattar Ameri</i>	
EXPERIENCES AND EXPECTATIONS OF COLLABORATIVE ROBOTS IN INDUSTRY AND ACADEMIA: BARRIERS AND DEVELOPMENT NEEDS.....	1151
<i>Iina Aaltonen, Timo Salmi</i>	
A NOVEL METHOD USING DS-MCM FOR EQUIPMENT HEALTH PROGNOSIS WITH PARTIALLY OBSERVED INFORMATION.....	1159
<i>Qinming Liu, Ming Dong, F. Frank Chen, Yongpeng Li, Haoxiang Wang</i>	

MANUFACTURING SYSTEM DESIGN AND ANALYSIS

CONSUMER IMPACT ON SUPPLY CHAIN SUSTAINABILITY	1167
<i>Zlatan Mujkić, Saranda Gashi, Šehida Hamidović</i>	
DEVELOPING KNOWLEDGE ON DIGITAL MANUFACTURING TO DIGITAL TWIN: A BIBLIOMETRIC AND SYSTEMIC ANALYSIS.....	1174
<i>Suewellyn Krüger, Milton Borsato</i>	
PROJECT MANAGEMENT DURING THE INDUSTRY 4.0 IMPLEMENTATION WITH RISK FACTOR ANALYSIS	1181
<i>Martin Hirman, Andrea Benesova, Frantisek Steiner, Jiri Tupa</i>	

COMPARATIVE EVALUATION OF ADHESIVELY-BONDED SINGLE-LAP AND STEPPED-LAP JOINTS	1189
<i>J.O.S. Silva, R.D.S.G. Campilho, R.J.B. Rocha, F.J.G. Silva</i>	
MATHEMATICAL MODEL FOR MAINTENANCE PLANNING OF MACHINE TOOLS	1197
<i>C.R. Pires, I.S. Lopes, L.P. Basto</i>	
INTEGRATED INSPECTION SYSTEM STEP-COMPLIANT FOR THE EXCHANGE OF DIMENSIONAL METROLOGY DATA.....	1205
<i>Cristhian I. Riaño Jaimes, Alberto J. Alvares</i>	
USING OPEN-SOURCE MICROCONTROLLERS TO ENABLE DIGITAL TWIN COMMUNICATION FOR SMART MANUFACTURING	1213
<i>E.P. Hinchy, N.P. O'Dowd, C.T. McCarthy</i>	
LOCALIZATION SYSTEM FOR OPTIMIZATION OF PICKING IN A MANUAL WAREHOUSE	1220
<i>M.T. Pereira, J.M.C. Sousa, L.P. Ferreira, J.C. Sá, F.J.G. Silva</i>	
ADVANCES IN MACHINE VISION FOR FLEXIBLE FEEDING OF ASSEMBLY PARTS.....	1228
<i>Ali Ahmad Malik, Martin Vejling Andersen, Arne Bilberg</i>	

PART 3

NANOFILLERS CAN BE USED TO ENHANCE THE THERMAL CONDUCTIVITY OF COMMERCIALLY AVAILABLE SLA RESINS	1236
<i>Guang Hu, Zhi Cao, Michael Hopkins, John G Lyons, Declan M Devine</i>	
EFFECT OF MATERIAL HYBRIDIZATION ON THE STRENGTH OF SCARF ADHESIVE JOINTS.....	1244
<i>D.L. Alves, R.D.S.G. Campilho, R.D.F. Moreira, F.J.G. Silva, M.G. Cardoso</i>	
FRACTURE ENVELOPE ESTIMATION OF A STRUCTURAL ADHESIVE BY DEDICATED FRACTURE TESTS.....	1252
<i>F.A.A. Nunes, R.D.S.G. Campilho, M.G. Cardoso, F.J.G. Silva</i>	
PREDICTING REMAINING LIFETIME USING THE MONOTONIC GAMMA PROCESS AND BAYESIAN INFERENCE FOR MULTI-STRESS CONDITIONS	1260
<i>Shah Limon, Om Prakash Yadav</i>	
COMPARATIVE EVALUATION OF DIFFERENT FRACTURE TESTS FOR THE TENSILE FRACTURE TOUGHNESS OF A DUCTILE ADHESIVE.....	1268
<i>J.M.D. Teixeira, R.D.S.G. Campilho, F.J.G. Silva, F.J.P. Moreira, D.F.O. Silva</i>	

MODELLING AND SIMULATION OF MANUFACTURING AND SERVICES

AUTOMATED HANDLING OF AUXILIARY MATERIALS USING A MULTI-KINEMATIC GRIPPING SYSTEM.....	1276
<i>Michael Vistein, Jan Faber, Clemens Schmidt-Eisenlohr, Daniel Reiter</i>	
A BUSINESS MODEL TO IMPLEMENT CLOSED-LOOP MATERIAL FLOW IN IOT-ENABLED ENVIRONMENTS	1284
<i>Alperen Bal, Fazleena Badurdeen</i>	
A 6-DOF HAPTIC MANIPULATION SYSTEM TO VERIFY ASSEMBLY PROCEDURES ON CAD MODELS.....	1292
<i>Paolo Tripicchio, Carlo Alberto Avizzano, Massimo Bergamasco</i>	
AUTOMATED PRODUCTION OF LARGE FIBRE METAL LAMINATE AIRCRAFT STRUCTURE PARTS.....	1300
<i>Michael Vistein, Dominik Deden, Roland Glück, Stefan Schneyer</i>	
CONTROL OF HVAC-SYSTEMS WITH SLOW THERMODYNAMIC USING REINFORCEMENT LEARNING	1308
<i>C. Blad, S. Koch, S. Ganeswarathas, C.S. Kallesøe, S. Bøgh</i>	
DESIGN OF AUTOMATED EQUIPMENT FOR THE ASSEMBLY OF AUTOMOTIVE PARTS	1316
<i>N.F.M. Veiga, R.D.S.G. Campilho, F.J.G. da Silva, P.M.M. Santos, P.V. Lopes</i>	
COMPUTATIONAL FLUID DYNAMICS (CFD): BEHAVIORAL STUDY AND OPTIMIZATION OF THE BLADES NUMBER OF A RADIAL FAN	1324
<i>Filipe d'S. Aureliano, Luiz Carlos V. Guedes</i>	
DIGITALIZATION IN SEMICONDUCTOR MANUFACTURING- SIMULATION FORECASTER APPROACH IN MANAGING MANUFACTURING LINE PERFORMANCE.....	1330
<i>Farhain Misrudin, Lee Ching Foong</i>	

PRECISION MANUFACTURING

INFLUENCE OF DYNAMIC TEMPERATURE CONTROL ON THE INJECTION MOLDING PROCESS OF PLASTIC COMPONENTS	1338
<i>Cláudia Macedo, Cláudia Freitas, António M. Brito, Gilberto Santos, Ricardo Simoes</i>	
CREATING DETAILED SHAPES ON THE MOULDING TOOL SURFACES WITH DIFFERENT MANUFACTURING TECHNIQUES.....	1347
<i>Panu Tanninen, Ville Leminen, Sami Matthews, Antti Pesonen, Juha Varis</i>	
DEXTEROUS GRIPPER FOR IN-HAND MANIPULATION WITH EMBEDDED OBJECT LOCALIZATION ALGORITHM	1354
<i>S. Leggieri, C. Canali, A. Pistone, C. Gloriani, D.G. Caldwell</i>	
ON-MACHINE ERROR COMPENSATION FOR RIGHT FIRST TIME MANUFACTURE	1362
<i>H.M. Eldessouky, J.M. Flynn, S.T. Newman</i>	
THE EFFECT OF SOLDER PASTE VOLUME ON CHIP RESISTOR SOLDER JOINT FATIGUE LIFE.....	1372
<i>Huayan Wang, Ke Pan, Jonghwan Ha, Chongyang Cai, Seungbae Park</i>	
THE EFFECT OF SOLDER PASTE VOLUME ON SURFACE MOUNT ASSEMBLY SELF-ALIGNMENT	1381
<i>K. Pan, J.H. Ha, H.Y. Wang, V. Veeraraghavan, S.B. Park</i>	
EVALUATING FACTORY OF THE FUTURE PRINCIPLES FOR THE WOOD PRODUCTS INDUSTRY: THREE CASE STUDIES.....	1394
<i>Steffen Landscheidt, Mirka Kans</i>	
EFFECT OF MECHANICAL PERFORATION ON THE PRESS-FORMING PROCESS OF PAPERBOARD.....	1402
<i>Ville Leminen, Panu Tanninen, Antti Pesonen, Juha Varis</i>	

PREDICTIVE MAINTENANCE AND CONTINUOUS IMPROVEMENT

MINIMIZING THE NUMBER OF TARDY JOBS ON IDENTICAL PARALLEL MACHINES SUBJECT TO PERIODIC MAINTENANCE.....	1409
<i>Almasarwah Najat, Chen Yuan, Suer Gursel, Yuan Tao</i>	
ASSESSING THE MATURITY AND BENEFITS OF DIGITAL EXTENDED ENTERPRISE	1417
<i>Antti Pulkkinen, Juha-Pekka Anttila, Simo-Pekka Leino</i>	
KPI DEVELOPMENT AND OBSOLESCENCE MANAGEMENT IN INDUSTRIAL MAINTENANCE.....	1427
<i>S. Ferreira, F.J.G. Silva, R.B. Casais, M.T. Pereira, L.P. Ferreira</i>	
ORDER FULFILMENT PROCESS IMPROVEMENT IN A CERAMIC INDUSTRY	1436
<i>Mariana Maia, Carina Pimentel, Francisco Silva, Radu Godina, João Matias</i>	

PRODUCTION PLANNING SCHEDULING AND CONTROL

ANALYSIS AND IMPROVEMENT OF AN ASSEMBLY LINE IN THE AUTOMOTIVE INDUSTRY	1444
<i>P. Dias, F.J.G. Silva, R.D.S.G. Campilho, L.P. Ferreira, T. Santos</i>	
BALANCING MULTIPLE OBJECTIVES WITH ANARCHIC MANUFACTURING	1453
<i>Andrew Ma, Aydin Nassehi, Chris Snider</i>	
A COMPREHENSIVE SUPPLIER CLASSIFICATION MODEL FOR SME OUTSOURCING	1461
<i>V. Ferreira, F.J.G. Silva, R.P. Martinho, C. Pimentel, B. Pinto</i>	
SIMULATION BASED ONLINE PRODUCTION PLANNING	1473
<i>Rainer Müller, Leenhard Hörauf, Christoph Speicher, Julian Koch, Miriam Driefß</i>	

ROBOTICS AND COMPUTER INTEGRATED MANUFACTURING

TOWARDS SAFETY LEVEL DEFINITION BASED ON THE HRN APPROACH FOR INDUSTRIAL ROBOTS IN COLLABORATIVE ACTIVITIES.....	1481
<i>Magno Paiva Hippertt, Marcio Lazai Junior, Anderson Luis Szejka, Osiris Canciglieri Junior, Eduardo Alves Portela Santos</i>	

TOWARDS REINFORCEMENT BASED LEARNING OF AN ASSEMBLY PROCESS FOR HUMAN ROBOT COLLABORATION	1491
<i>Sharath Chandra Akkaladevi, Matthias Plasch, Andreas Pichler, Markus Ikeda</i>	
TOWARDS COLLABORATIVE ROBOTIC POLISHING OF MOULD AND DIE SETS.....	1499
<i>Ke (Brian) Wang, Farid Dailami, Jason Matthews</i>	
TRANSFERRING HUMAN MANIPULATION KNOWLEDGE TO INDUSTRIAL ROBOTS USING REINFORCEMENT LEARNING	1508
<i>N. Arana-Arexolaleiba, N. Urrestilla-Anguiozar, D. Chrysostomou, S. Bøgh</i>	
RHEOLOGICAL BEHAVIOUR OF PP NANOCOMPOSITES BY EXTRUSION PROCESS	1516
<i>F. De Almeida, E. Costa e Silva, A. Correia, F.J.G. Silva</i>	
AUTONOMOUS NAVIGATION OF MOBILE ROBOTS IN FACTORY ENVIRONMENT	1524
<i>Suman Harapanahalli, Niall O Mahony, Gustavo Velasco Hernandez, Sean Campbell, Joseph Walsh</i>	
DEVELOPMENT OF A CLOUD-BASED ADVANCED PLANNING AND SCHEDULING SYSTEM FOR AUTOMOTIVE PARTS MANUFACTURING INDUSTRY	1532
<i>Jen-Li Liu, Li-Chih Wang, Pei-Chun Chu</i>	
EFFECT OF TANGENTIAL MISALIGNMENT IN ULTRASONIC BURNISHING	1540
<i>Juha Huuki, Sampsa V.A. Laakso, Rizwan Ullah</i>	
IMPROVEMENT AND VALIDATION OF ZAMAK DIE CASTING MOULDS	1547
<i>H.A. Pinto, F.J.G. Silva, R.P. Martinho, R.D.S.G. Campilho, A.G. Pinto</i>	
AN AUTOMATED SUPERMARKET CHECKOUT SYSTEM UTILIZING A SCARA ROBOT: PRELIMINARY PROTOTYPE DEVELOPMENT	1558
<i>Yesenia Aquilina, Michael A. Saliba</i>	

SIX SIGMA AND TQM

COORDINATION IN IMPROVEMENTS AT MANUFACTURING PLANTS AND ITS EFFECT ON IMPROVEMENT CAPABILITIES.....	1566
<i>Yuji Yamamoto, Shumpei Hwao</i>	
IMPLEMENTING TPM SUPPORTED BY 5S TO IMPROVE THE AVAILABILITY OF AN AUTOMOTIVE PRODUCTION LINE.....	1574
<i>I.M. Ribeiro, R. Godina, C. Pimentel, F.J.G. Silva, J.C.O. Matias</i>	
CONTINUOUS IMPROVEMENT IN MAINTENANCE: A CASE STUDY IN THE AUTOMOTIVE INDUSTRY INVOLVING LEAN TOOLS.....	1582
<i>G.F.L. Pinto, F.J.G. Silva, R.D.S.G. Campilho, R.B. Casais, A. Baptista</i>	
SIX SIGMA APPLICATION FOR QUALITY IMPROVEMENT OF THE PIN INSERTION PROCESS.....	1592
<i>J.P. Costa, I.S. Lopes, J.P. Brito</i>	
INTEGRATING QUALITY COSTS AND REAL TIME DATA TO DEFINE QUALITY CONTROL	1600
<i>Sérgio Sousa, Eusébio Nunes</i>	
USING SIX SIGMA TO ANALYSE CUSTOMER SATISFACTION AT THE PRODUCT DESIGN AND DEVELOPMENT STAGE	1608
<i>M.T. Pereira, M. Inês Bento, L.P. Ferreira, J.C. Sá, F.J.G. Silva</i>	
GLOBAL PROCESS EFFECTIVENESS: WHEN OVERALL EQUIPMENT EFFECTIVENESS MEETS ADHERENCE TO SCHEDULE.....	1615
<i>Rui Oliveira, Sahar Azadi Taki, Sérgio Sousa, Mohammad Amin Salimi</i>	
ASSET PRIORITY SETTING FOR MAINTENANCE MANAGEMENT IN THE FOOD INDUSTRY	1623
<i>T. Santos, F.J.G. Silva, S.F. Ramos, R.D.S.G. Campilho, L.P. Ferreira</i>	

SMART FACTORIES AND INDUSTRIAL INTERNET OF THINGS

A FUZZY KNOWLEDGE-BASED SYSTEM FOR DIAGNOSING UNPREDICTABLE FAILURES IN CNC MACHINE TOOLS	1634
<i>Antony Colasante, Silvia Ceccacci, Abudukaiyoumu Talipu, Maura Mengoni</i>	
A FRAMEWORK CONCEPT FOR DATA VISUALIZATION AND STRUCTURING IN A COMPLEX PRODUCTION PROCESS.....	1642
<i>Anton Albo, Kristofer Bengtsson, Martin Dahl, Petter Falkman</i>	
FLEXIBLE MANUFACTURING SYSTEMS USING IIOT IN THE AUTOMOTIVE SECTOR	1652
<i>Con Cronin, Andrew Conway, Joseph Walsh</i>	
MODELLING A PLATFORM FOR SMART MANUFACTURING SYSTEM.....	1660
<i>Hong-Seok Park, Risky Ayu Febriani</i>	

NEXT GENERATION SAFETY FOOTWEAR	1668
<i>D. Janson, S.T. Newman, V. Dhokia</i>	
METRICS TO GAUGE THE SUCCESS OF A MANUFACTURING ONTOLOGY	1678
<i>David Koonce, Dusan Sormaz</i>	
INTEGRATION OF AUTONOMOUS INTELLIGENT VEHICLES INTO MANUFACTURING ENVIRONMENTS: CHALLENGES.....	1683
<i>Liam Lynch, Fintan McGuinness, John Clifford, Muzaffar Rao, Thomas Newe</i>	

SMART MANUFACTURING AND INDUSTRY 4.0

DETERMINATION OF CHANGES IN PROCESS MANAGEMENT WITHIN INDUSTRY 4.0	1691
<i>Andrea Benešová, Martin Hirman, František Steiner, Jiří Tupa</i>	
VIRTUAL REALITY ASSISTED ROBOT PROGRAMMING FOR HUMAN COLLABORATION	1697
<i>Christos Maragkos, George-Christopher Vosniakos, Elias Matsas</i>	
5-DIMENSIONAL DEFINITION FOR A MANUFACTURING DIGITAL TWIN	1705
<i>Sara Moghadaszadeh Bazaz, Mika Lohtander, Juha Varis</i>	

SUSTAINABLE MANUFACTURING AND ENGINEERING

IMPROVING THE MACHINING PROCESS OF THE METALWORK INDUSTRY BY UPGRADING OPERATIVE SEQUENCES, STANDARD MANUFACTURING TIMES AND PRODUCTION PROCEDURE CHANGES.....	1713
<i>Carlos Monteiro, Luís P. Ferreira, Nuno O. Fernandes, F.J.G. Silva, Ivo Amaral</i>	
MACHINABILITY EVALUATION OF LOW-LEAD BRASS ALLOYS	1723
<i>J. Johansson, H. Persson, J.-E. Ståhl, J.-M. Zhou, F. Schultheiss</i>	
SCRAP PRODUCTION OF EXTRUDED ALUMINUM ALLOYS BY DIRECT EXTRUSION	1731
<i>A.F. Ferrás, F. De Almeida, E. Costa e Silva, A. Correia, F.J.G. Silva</i>	
ECO-DESIGN AND SUSTAINABILITY IN PACKAGING: A SURVEY	1741
<i>J. Monteiro, F.J.G. Silva, S.F. Ramos, R.D.S.G. Campilho, A.M. Fonseca</i>	

SUSTAINABLE MANUFACTURING AND PROCESS TECHNOLOGY

USING INDUSTRY 4.0 CONCEPTS AND THEORY OF SYSTEMS FOR IMPROVING COMPANY SUPPLY CHAIN: THE EXAMPLE OF A JOINERY	1750
<i>Paul-Eric Dossou</i>	
STUDY OF REACTIVE POWDER CONCRETE USING QUARTZITE TAILINGS FROM THE STATE OF MINAS GERAIS - BRAZIL	1758
<i>Ivan Francklin Junior, Rogério Pinto Ribeiro, Maurício H. da Silva, Filipe S. Aureliano, Vinicius L.G. Garcia</i>	
INFLUENCE OF TEXTILE CORD TENSION IN CAP PLY PRODUCTION	1766
<i>C. Costa, F.J.G. Silva, R.D.S.G. Campilho, P. Neves, S. Ferreira</i>	
BUILDING A MULTI-SIGNAL BASED DEFECT PREDICTION SYSTEM FOR A FRICTION STIR WELDING PROCESS	1775
<i>T.W. Liao, J. Roberts, M.A. Wahab, A.M. Okeil</i>	
INVESTIGATION OF DISTORTION, STRESS AND TEMPERATURE DISTRIBUTION DURING ASSEMBLY OF THE SUSPENSION SYSTEM OF A RAIL CAR.....	1792
<i>I.A. Daniyan, K. Mpofu, A.O. Adeodu, O.L. Rominiyi</i>	
INTRALOGISTICS AND INDUSTRY 4.0: DESIGNING A NOVEL SHUTTLE WITH PICKING SYSTEM.....	1801
<i>A. Baptista Fernandes, F.J.G. Silva, R.D.S.G. Campilho, G.F.L. Pinto</i>	
THE EFFECT OF HIGH SPEED MACHINING ON THE CRATER WEAR BEHAVIOUR OF PCBN TOOLS IN HARD TURNING.	1833
<i>S. Gordon, P. Phelan, C. Lahiff</i>	

Author Index

29th International Conference on Flexible Automation and Intelligent Manufacturing
(FAIM2019), June 24-28, 2019, Limerick, Ireland.

Development of invers kinematic method for 6-dof parallel robot using analytical approach

Hendriko Hendriko

Mechatronics Engineering Department, Politeknik Caltex Riau, Jl Umbansari, Rumbai, Pekanbaru, Provinsi Riau, 28265, Indonesia

Abstract

Study on parallel robot technology has increased over the past six decades. Parallel robot has several advantages compared to serial robot. In term of kinematic aspect, parallel robot has relatively simple calculation compared to serial robot. However, the kinematic calculation is still costly because mostly the studies in parallel robot using numerical based approach. Jacobian based method was widely used to calculate the rotation of actuator required to move the end-effector to the target position and orientation. Therefore, this study proposes an analytical based method to determine the kinematics of 6 DOF parallel robot. The end-effector was attached on the moveable platform, which is connected to the fixed platform using six independent arms. A simulation program based on the proposed algorithm was developed using Matlab. To ensure the implementability of the method, one test using a complex trajectory was performed. The result showed that the proposed algorithm could be used to calculate the rotation angle of every motor to achieve the required position of the end-effector. The implementability of the proposed method to the real 6 dof parallel robot was also tested. The verification test using two trajectories proved that the method was accurate.

© 2018 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)

Peer-review under responsibility of the scientific committee of the 28th Flexible Automation and Intelligent Manufacturing (FAIM2018) Conference.

Keywords: Parallel robot, end-effector, 6 dof, analytical method

1. Introduction

There are two basic architectures of robot manipulator that widely developed in industrial automation, serial robot and parallel robot. These architectures were categorized based on the kinematics chains that connect the

2351-9789 © 2018 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)

Peer-review under responsibility of the scientific committee of the 28th Flexible Automation and Intelligent Manufacturing (FAIM2018) Conference.

output of manipulator to the fixed base. Kinematics chain of serial robot was constructed by a collection of stiff beams. Serial robot has the advantages on the work volume and motion flexibility or dexterity. On the other hand, it has also several weaknesses, such as less precise, low payload ratio, and tend to produce high inertia. Another limitation of serial robot is: the algorithm of invers kinematics for determining the position and orientation of the joints is more complex.

Many studies [1-10] have been performed to develop parallel robot, including the implementation of robot to solve the industrial problems. Khalifa et al [1] developed parallel manipulator to improve endoscopy process. The developed manipulator consists of two motions, rotational and translational motion. Wu et al. [2] developed delta robot with three translational motion and one rotational motion for pick and place operation. Luo and Li [3] constructed 3 degree of freedom (dof) robot with spherical workspace. The robot was called Orthotripod. Another researcher, Ruiz et al. [4] made 3 dof CICABOT robot, which could only perform translation motion using 5 arms. There are many others research on 3 dof parallel robot that have been published [5-10], such as Delta robot [8], 3-UPU [9], and 3-PRC [10], Meanwhile Hendriko et al. [11] developed delta robot 5 dof. Numerous researches on parallel manipulator have been published, however, most of them were 3 dof to 5 dof robot. To improve the flexibility of robot motion and increase the working space, robot with higher degree of freedom is needed.

An effective and efficient method to define the invers kinematics problem is required to obtain a realistic and accurate motions. Many approaches have been developed to solve the kinematics aspect of robot. Mostly proposed numerical based approach, such as Jacobian based approach [12-15] and newton methods [16,17]. These approaches have the disadvantage on the long computational cost.

To overcome the problem of long computational time in numerical based approaches, many research [11, 18-24] have been conducted to produce analytical method in various applications, as well as to compare its computational time to other methods. The results have proven that analytical-based approach is able to decrease the computational time significantly. Hendriko et al. [11] developed analytical method called Analytical Invers Kinematics Simulation (AIKS) for 5 DOF parallel robot. They developed kinematics algorithm for parallel robot with 3 independent legs for linear motion in 3 axis and two additional actuators attached onto the moving platform to rotate the end-effector about the z-axis and the x-axis. From a series of tests, it was found that the method is accurate. A comparison test proved that AIKS was cheaper in term of computational cost than Jacobian method.

Therefore, this study developed a 6 dof parallel robot as depicted in Fig. 1(a). The robot has 6 set of arms in which each of them constructed by upper-arm and lower-arm as shown in Fig. 1(b). Every set of arms was actuated by stepper motor. An analytical algorithm was developed to define the invers kinematics aspect for calculating the orientation and position of end-effector

2. Calculating the orientation of the arms

There are six stepper motors were set at the fixed platform and they were used to actuated the upper-arm as shown in Fig. 1(b). The rotation of upper-arm was then move the lower-arm. The orientation of upper-arm and lower-arm were defined using the coordinate of the joints A_i , B_i , and C_i , where $i = 1, \dots, 6$, as shown in Fig. 1(c) and Fig. 1(d). The point A_i relative to Global Coordinate Frame (GCF) is fixed, that is located at the fixed platform. Because it is fixed, then its coordinate in GCF was known. Meanwhile, the coordinate of C_i in GCF has been calculated in previous section. Therefore only the coordinate of B_i that is remaining need to be calculated. For the purpose of simplification the calculation of $B_i(x_{B_i}, y_{B_i}, z_{B_i})$, the coordinate of C_i were transformed to the Joint Coordinate Frame (JCF) at the centered point $A_i(x_i, y_i, z_i)$ as follow,

$$C_{ij} = [M]_j . C_{iG} ; \quad (i = 1, \dots, 6) \quad (1)$$

C_{ij} is the coordinate of C_{iG} in JGF, meanwhile $[M]_j$ is the operator to transform the coordinate system from GCF to JCF, including the rotation about Z-axis (ε) and the centre displacement from E to A_i . The mapping operator was expressed as follow,

$$[M]_J = Rot(Z, \varepsilon) + A_i = \begin{bmatrix} \cos \varepsilon & -\sin \varepsilon & 0 & x_{A_i} \\ \sin \varepsilon & \cos \varepsilon & 0 & y_{A_i} \\ 0 & 0 & 1 & z_{A_i} \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad (2)$$

The coordinate B_{ij} was determined by analyzing two linkages, upper-arm and lower-arm. From the upper-arm's point of view, the distance between A_{ij} and B_{ij} can be expressed as follow,

$$L_1^2 = (x_{B_{ij}} - x_{A_{ij}})^2 + (y_{B_{ij}} - y_{A_{ij}})^2 + (z_{B_{ij}} - z_{A_{ij}})^2 \quad (3)$$




Fig. 1: a) design of parallel robot, b) robot's arms and actuator position, c) end-effector and mobile platform, d) top view of fixed platform

where L_1 is the length of upper-arm. Because the centered of JCF is located at A_{ij} , then the coordinate of A_{ij} become $(0, 0, 0)$. The x -axis of JCF at every joint was set align with the upper-arm, as can be seen in Fig. 1c, and hence, the y -axis of B_{ij} ($y_{B_{ij}}$) is equal to zero. Then, Eq.(3) yield to become:

$$L_1^2 = x_{B_{ij}}^2 + z_{B_{ij}}^2 \quad (4)$$

There are two unknown variables remaining in Eq. (4), $x_{B_{ij}}$ and $z_{B_{ij}}$. To determine these variables, another equation was required. Therefore, an equation was developed from the lower-arm's point of view. It was expressed as follow,

$$L_2^2 = (x_{C_{ij}} - x_{B_{ij}})^2 + (y_{C_{ij}} - y_{B_{ij}})^2 + (z_{C_{ij}} - z_{B_{ij}})^2 \quad (5)$$

where L_2 is the length of lower-arm. By substituting $x_{B_{ij}}$ in Eq.(4) into Eq.(5), then Eq. (5) yield to become,

$$T \cdot z_{BS_{ij}}^2 + V \cdot z_{BS_{ij}} + W = 0 \quad (6)$$

where,

$$\begin{aligned} T &= 4 x_{C_{ij}}^2 + 4 z_{C_{ij}}^2 \\ V &= -4 z_{C_{ij}} (L_2^2 - x_{C_{ij}}^2 - y_{C_{ij}}^2 - z_{C_{ij}}^2 - L_1^2) \\ W &= (L_2^2 - x_{C_{ij}}^2 - y_{C_{ij}}^2 - z_{C_{ij}}^2 - L_1^2)^2 - 4 \cdot x_{C_{ij}}^2 \cdot L_1^2 \end{aligned} \quad (7)$$

z_{B_i} in Eq. (6) could be determined using quadratic equation. After z_{B_i} was obtained, then x_{B_i} in Eq.(4) could be determined. In this study, the rotation of actuator was represented by the orientation of upper-arm relative to JCF, which is called upper-arm angle (λ_i). Upper-arm angle is the angle between upper-arm and a vertical line at A_i (λ_i), and it was determined as follow,

$$\lambda_i = \cos^{-1} \left(\frac{z_{B_i}}{L_1} \right) \quad (8)$$



Fig. 2: construction of robot and testing on flat trajectory

3. Implementation and discussion

The mechanical construction of robot, as presented in Fig. 2, used 4 mm thick aluminium plate for the construction of the roof and the base of robot. While for the pillars, 30x30 mm aluminium rods was used for supporting the base and the roof. The upper-arm was actuated by NEMA 23 stepper motor and they were connected using a bracket. The robot has 6 upper-arms, in which, every upper-arm was connected to a lower-arm using a fish-eye bearing. The arms were used for supporting and moving the mobile platform in carrying the load and the end-effector. Initially, when the start button is pushed, then the robot calibrates the position of end-effector to the home position. The home base means that all the upper-arm at the same orientation. In this case, the upper-arm angle (λ) was set at 135° . The calibration process was carried out by rotating the stepper motors 1, 3 and 5 counter-clockwise and stepper motors 2, 4, 6 clockwise.

The rotation of every motor was determined using the developed algorithm based on the expected position and orientation of the end-effector. Therefore, the implementability of the proposed method was tested using Matlab. Matlab was used to develop a simulation program based on the derived equation. In this study, the physical of 6 dof parallel robot was also constructed. The motion of the end-effector was determined using the proposed algorithm. Two experimental tests were performed to check the applicability of the algorithm and the accuracy of the robot.




Fig. 3: algorithm implementation test, a) end-effector orientation and position on the designed trajectory, b) rotation angle of every motor

3.1. Calculating the rotation of motor

In this study, the movement of the end effector was actuated using 6 stepper motors. The rotation angle of the motor, which is required to move the end-effector for obtaining the expected position, was calculated using the developed simulation program. To check the applicability of the proposed method, an implementation test was performed. In this test, the end-effector was set to follow a star shape trajectory as shown in Fig. 3a. The blue line with black dots at the end, as presented in Fig. 3a, represented the orientation and position of the end-effector during following the trajectory. There are 20 points in the designed trajectory that were tested. In following the trajectory, all the motors continuously rotated to achieve the expected position and orientation of the end-effector. The rotation angle of every motor was presented in Fig. 3b. From this figure can be concluded that the rotation of motors was very fluctuate due to the posture of end-effector as shown in Fig. 3a.

Verification to ensure the accuracy of the propose algorithm was performed using Solidworks Motion Simulation. Solidworks Motion Simulation are graphical simulations of motion for assembly models. Using this software, the components of robot can be moved to the expected position, and then the position and orientation of the robot can be checked and measured. In this study, the coordinate of point B, which is the joint between upper-arm and lower arm, was checked and compared with those obtained using simulation program. The designed trajectory as shown in Fig. 3a was used for model verification. The results

demonstrated that the data calculated using the proposed algorithm and those measured using Solidworks were exactly similar. The deviations were zero or can be considered as zero. This result could be obtained because this method is analytical, in which the calculation provides exact result. One of the main advantages of analytical based method compared to approximation methods, such as numerical method, is accuracy.

3.2. Verifying the accuracy of robot

The accuracy of physical robot in performing the task was tested for two cases. The tests were aimed to check the ability of the end-effector to reach the designed trajectory based on the designed appointed points. For this purpose, a pen was attached on the end effector and a scale paper was put on the flat floor in the working space as shown in Fig. 2. In this test, the robot was programmed to follow two designed trajectories. The trajectory that was obtained by the physical manipulator was then measured and the results were compared with the designed trajectory, as shown in Fig. 4(a) and Fig. 4(b). From these figures can be seen that the deviations were relatively small. The deviation was calculated using a statistical method known as the mean squared error (MSE), and the total error for both tests was 1.71%. Physical checking to the robot was performed, and it was concluded that the deviation was occurred due to the imperfection on the construction of robot, especially on the joint between the upper-arm and lower-arm.




Fig. 4 Experiment test of physical robot on flat surface

In previous study [25], the AIKS method was compared with a Jacobian based method in terms of computational time. The result demonstrated that the computational time of analytical based method was shorter than Jacobian based method. Hence, it can be taken into conclusion that the proposed method is not only accurate, but also computationally cheaper.

4. Conclusion

This paper has presented the development of analytical method in calculating invers kinematics of parallel robot. The method of analytical invers kinematics simulation (AIKS) was successful extended so that it could be used for 6 dof parallel robot. Several tests on the implementability of the proposed algorithm, as well as the physical manipulator were performed. Based on the tests result, several conclusions can be taken.

- The implementation test on the analytical method to calculate the rotation degree was performed, the result showed that the algorithm was applicable to calculate the rotation angle of complex trajectory.
- The implementation and accuracy of the physical robot was also tested. The motion of robot was programmed using the proposed algorithm. The robot was tested to follow three different trajectories and the result demonstrated that the robot could follow the trajectories well. The verification tests showed that the deviations of the physical robot were relatively small.

Acknowledgements

The authors wish to thank the Indonesian Ministry of Research Technology and Higher Education for the financial support provided through the fundamental research grant scheme.

References

- [1] A. Khalifa, M. Fanni, A.M. Mohamed, T. Miyashita. Development of a new 3-DOF parallel manipulator for minimally invasive surgery. *The International Journal of Medical Robotics and Computer Assisted Surgery*, 14 (2018), e1901.
- [2] C. Wu, G. Yang, C.Y. Chen, S. Liu, T. Zheng. Kinematic design of a novel 4-DOF parallel manipulator. In *2017 IEEE International Conference on Robotics and Automation (ICRA)*, (2017) 6099-6104
- [3] Y. Lou, Z. Li. A novel 3-DOF purely translational parallel mechanism. In *2006 IEEE/RSJ International Conference on Intelligent Robots and Systems*. (2006) 2144-2149.
- [4] M.F. Ruiz-Torres, E. Castillo-Castaneda, J.A. Briones-Leon. Design and analysis of CICABOT: a novel translational parallel manipulator based on two 5-bar mechanisms. *Robotica*, 30 (2012) 449-456.
- [5] R. Simoni, C.M. Doria, D. Martins. Symmetry and invariants of kinematic chains and parallel manipulators. *Robotica*, 31 (2013) 61-70.
- [6] Y. Li, Q. Xu. Kinematic analysis and design of a new 3-DOF translational parallel manipulator. *Journal of Mechanical Design*, 128 (2006) 729-737.
- [7] R. Di Gregorio. Kinematics of the translational 3-URC mechanism. *Journal of Mechanical Design*, 126 (2004) 1113-1117.
- [8] F. Pierrot, C. Reynaud, A. Fournier. DELTA: a simple and efficient parallel robot. *Robotica*, 8 (1990) 105-109.
- [9] R. Di Gregorio, V. Parenti-Castelli. A translational 3-DOF parallel manipulator. In *Advances in Robot Kinematics: Analysis and Control*. Springer Netherlands, (1998) 49-58.
- [10] Y. Li, Q. Xu. Kinematic analysis and design of a new 3-DOF translational parallel manipulator. *Journal of Mechanical Design*, 128 (2006) 729-737.
- [11] H. Hendriko, N. Khamdi, J. Jajang, I.M. Muthahar. Analytical based inverse kinematic method for 5-axis delta robot, *International Journal of Materials, Mechanics and Manufacturing (IJMMM)*, Vol 6 (2018) 264-267.
- [12] A. Colomé, C. Torras. Closed-loop inverse kinematics for redundant robots: Comparative assessment and two enhancements. *IEEE/ASME Transactions on Mechatronics*, 20 (2015) 944-955.
- [13] H.D. Lee, B.K. Lee, W.W. Kim, J.S. Han, K.S. Shin, C.S. Han. Human-robot cooperation control based on a dynamic model of an upper limb exoskeleton for human power amplification. *Mechatronics*, 24 (2014) 168-176.
- [14] S.R. Buss, J.S. Kim. Selectively damped least-squares for inverse kinematics. *Journal of Graphics Tools*, 10 (2004) 37-49.
- [15] V. Matikainen, J. Backman, A. Visala. Cartesian control of an advanced tractors rear hitch-damped least-squares solution. *IFAC Proceedings*, 47 (2014) 11565-11570.
- [16] M. Agersand, O. Fuentes, R. Nelson. Experimental evaluation of uncalibrated visual servoing for precision manipulation. *IEEE International Conference on Robotics and Automation*. (1997) 2874-2880.
- [17] L. Jin, Y. Zhang. Discrete-time Zhang neural network for online time-varying nonlinear optimization with application to manipulator motion generation. *IEEE transactions on neural networks and learning systems*, 26 (2015) 1525-1531.
- [18] C. Graf, A. Hartl, T. Rofer, T. Laue. A robust closed-loop gait for the Standard Platform League humanoid. In: *Proceedings of the 4th Workshop on Humanoid Soccer Robots*, (2009) 30-37
- [19] G. Kiswanto, H. Hendriko, E. Duc. An analytical method for obtaining cutter workpiece engagement during a semi-finish in five axis milling. *Computer-Aided Design*, 55 (2014) 81-93.
- [20] H. Hendriko. Mathematical model for chip geometry calculation in five-axis milling. *Jurnal Teknologi*, 77 (2015) 108-113.
- [21] G. Kiswanto, H. Hendriko, E. Duc. Analytical Method for Obtaining Cut Geometry of Helical Toroidal Cutter during Semi-Finish in 5-Axis Milling. *Applied Mechanics and Materials*, 541 (2014) 780-784.
- [22] H. Hendriko, G. Kiswanto, J. Istiyanto, E. Duc. Implementation of analytical boundary simulation method for cutting force prediction model in five-axis milling. *Machining Science and Technology*, 22 (2017) 163-179.
- [23] G. Kiswanto, H. Hendriko, E. Duc. A hybrid analytical-and discrete-based methodology for determining cutter-workpiece engagement in five-axis milling. *The International Journal of Advanced Manufacturing Technology*, 80 (2015) 2083-2096.
- [24] M. Shimizu, H. Kakuya, W.K. Yoon, K. Kitagaki, K. Kosuge. Analytical inverse kinematic computation for 7-DOF redundant manipulators with joint limits and its application to redundancy resolution. *IEEE Transactions on Robotics*, 24 (2008) 1131-1142.
- [25] H. Hendriko (in press). Implementation of analytical inverse kinematics simulation method for 5-dof parallel manipulator, *Journal of Engineering Science and Technology*.



UNIVERSITY of LIMERICK
O L L S C O I L L U I M N I G H

FAIM 2019
Flexible Automation and Intelligent Manufacturing

Confirmation of Attendance at FAIM 2019

Delegate:

Name : Hendriko Hendriko

Article : Developement of invers kinematics method for 6-dof parallel robot using analytical approach

To whom it may concern

On behalf of the FAIM 2019 (Flexible Automation and Intelligent Manufacturing) Conference we are pleased to confirm that the above delegate attended our recent and presented their work at our International Conference.

The work has been peer reviewed by a team of academics and will be forwarded to Procedia Manufacturing for online publication.

The conference this year was hosted by the University of Limerick from June 24th to June 27th 2019.

We thank all our delegates for attending and making FAIM2019 an enjoyable and rewarding experience for all.

Further information on the conference, conference schedule etc. is available from www.faimconference.com

Best regards

Dr. Alan Ryan

Chair FAIM2019 Organising Committee

School of Engineering

University of Limerick

Ireland

faimconference2019@gmail.com